International Journal of Pharmaceutics, 70 (1991) 285–286
© 1991 Elsevier Science Publishers B.V. 0378-5173/91/$03.50

Author Index

Akiyama, K., see Yamashita, C. (70) 225
Al-Hmoud, H., see Efentakis, M. (70) 153
Alsina, M.A., Solé, N., Mestres, C., Busquets, M.A., Haro, I. and García Antón, J.M.
Physicochemical interaction of opioid peptides with phospholipids and membranes (70) 111
Attwood, D., Collett, J.H. and O'Connor, C.A.
Influence of gamma irradiation on the rheological properties of gels of the poloxamine, Synperonic T908 (70) 147
Avgoustakis, K. and Nixon, J.R.
Biodegradable controlled release tablets. 1: Preparative variables affecting the properties of poly(lactide-co-glycolide) copolymers as matrix forming material (70) 77

Barry, B.W., see Kadir, R. (70) 87
Ben-Yossef, R., see Touitou, E. (70) 159
Bodmeier, R. and Paeratakul, O.
Process and formulation variables affecting the drug release from chlorpheniramine maleate-loaded beads coated with commercial and self-prepared aqueous ethyl cellulose pseudolatexes (70) 59
Bogdanov, B., see Panzova, B. (70) 187
Brannon-Peppas, L. and Peppas, N.A.
Time-dependent response of ionic polymer networks to pH and ionic strength changes (70) 53
Brasseur, N., Brault, D. and Couvreur, P.
Adsorption of hematoporphyrin onto polyalkylcyanoacrylate nanoparticles: carrier capacity and drug release (70) 129
Brault, D., see Brasseur, N. (70) 129
Britten, J.R., see Pilpel, N. (70) 241
Buckton, G., see Efentakis, M. (70) 153
Bundgaard, H., see Jensen, E. (70) 137
Busquets, M.A., see Alsina, M.A. (70) 111

Calabrese, G., see Dal Pozzo, A. (70) 219
Castelli, F., Giammona, G., Raudino, A. and Puglisi, G.
Macromolecular prodrugs interaction with mixed lipid membrane. A calorimetric study of naproxen linked to polyaspartamide interacting with phosphatidylcholine and phosphatidylcholine-phosphatidic acid vesicles (70) 43
Chambers, L.A., see Walker, M. (70) 167
Chandler, S.G., Illum, L. and Thomas, N.W.
Nasal absorption in the rat. I: A method to demonstrate the histological effects of nasal formulations (70) 19
Chang, P., see Law, S.L. (70) 1
Chang, R.-K. and Rudnic, E.M.
The effect of various polymeric coating systems on the dissolution and tableting properties of potassium chloride microcapsules (70) 261
Collett, J.H., see Attwood, D. (70) 147
Couvreur, P., see Brasseur, N. (70) 129

Dal Pozzo, A., Liggeri, E., Delucca, C. and Calabrese, G.
Prediction of skin permeation of highly lipophilic compounds; in vitro model with a modified receptor phase (70) 219
Delucca, C., see Dal Pozzo, A. (70) 219
Duffield, J.R., see Hall, S.B. (70) 251

Efentakis, M., Al-Hmoud, H., Buckton, G. and Rajan, Z.
The influence of surfactants on drug release from a hydrophobic matrix (70) 153
Enever, R.P., see Shahjahan, M. (70) 9
Esezobo, S., see Pilpel, N. (70) 241
Espinar, F.J.O., Igea, S.A., Méndez, J.B. and Jato, J.L.V.
Reduction in the ulcerogenicity of naproxen by complexation with β-cyclodextrin (70) 35

Fabin, B., see Touitou, E. (70) 159

Ganderton, D., see Malamataris, S. (70) 69
García Antón, J.M., see Alsina, M.A. (70) 111
Gaskin, P.W., see Hall, S.B. (70) 251
Ghogare, A.B., see Sadana, G.S. (70) 195
Giammona, G., see Castelli, F. (70) 43

Hadgraft, J., see Walker, M. (70) 167
Hall, S.B., Gaskin, P.W., Duffield, J.R. and Williams, D.R.
An interfacial equilibria model for the electrokinetic properties of a fat emulsion (70) 251
Haro, I., see Alsina, M.A. (70) 111
Helm, V.J. and Müller, B.W.
Stability of the synthetic pentapeptide thymopentin in aqueous solution: Effect of pH and buffer on degradation (70) 29
Hollingsbee, D.A., see Walker, M. (70) 167
Hussain, M.S.H., York, P. and Timmins, P.
Influence of commercial and high purity magnesium stearates on sodium chloride and paracetamol DC granules during tabletting (70) 103

Igea, S.A., see Espinar, F.J.O. (70) 35
Ilievska, M., see Panzova, B. (70) 187
Illum, L., see Chandler, S.G. (70) 19
Issopoulos, P.B.
Analytical investigations of isonicotinic acid hydrazide (isoniazid). VI. Sensitive colorimetric determination of micro amounts of isoniazid using an indirect redox method (70) 201

Jato, J.L.V., see Espinar, F.J.O. (70) 35
Jensen, E. and Bundgaard, H.
Aminomethylbenzoate esters of chloramphenicol as a novel prodrug type for parenteral administration (70) 137
Junginger, H.E., see Lehr, C.-M. (70) 235

Kadir, R. and Barry, B.W.
α-Bisabolol, a possible safe penetration enhancer for dermal and transdermal therapeutics (70) 87
Kiwada, H., see Yamashita, C. (70) 225

Law, S.L., Chang, P. and Lin, C.H.
Characteristics of mitoxantrone loading on liposomes (70) 1
Lee, G., see Schückler, F. (70) 173
Lehr, C.-M., Poelma, F.G.J., Junginger, H.E. and Tukker, J.J.
An estimate of turnover time of intestinal mucus gel layer in the rat in situ loop (70) 235
Levi-Schaffer, F., see Touitou, E. (70) 159
Liggeri, E., see Dal Pozzo, A. (70) 219
Lin, C.H., see Law, S.L. (70) 1
Li Wan Po, A., see Zhou, X.H. (70) 271

Ma, L., Ramachandran, C. and Weiner, N.D.
Partitioning of an homologous series of alkyl *p*-aminobenzoates into multilamellar liposomes: effect of liposome composition (70) 209
Malamataris, S. and Ganderton, D.
Sustained release from matrix system comprising hydrophobic and hydrophilic (gel-forming) parts (70) 69
Matsuo, H., see Yamashita, C. (70) 225
Méndez, J.B., see Espinar, F.J.O. (70) 35
Mestres, C., see Alsina, M.A. (70) 111
Moore, D.E., see Tønnesen, H.H. (70) 95
Müller, B.W., see Helm, V.J. (70) 29

Nada, A.H.
Influence of caffeine on the renal effects and solubility of ketoprofen (70) 191
Nixon, J.R., see Avgoustakis, K. (70) 77

O'Connor, C.A., see Attwood, D. (70) 147
Onyekweli, A.O., see Pilpel, N. (70) 241

Paeratakul, O., see Bodmeier, R. (70) 59
Palmer, A.J., see Sewell, G.J. (70) 119
Panzova, B., Ilievska, M., Trendovska, G. and Bogdanov, B.
Simultaneous determination of polythiazide and prazosin in tablets by second-order derivative UV spectroscopy (70) 187
Peppas, N.A., see Brannon-Peppas, L. (70) 53
Pilpel, N., Britten, J.R., Onyekweli, A.O. and Esezobo, S.
Compression and tableting of pharmaceutical powders at elevated temperatures (70) 241
Poelma, F.G.J., see Lehr, C.-M. (70) 235
Puglisi, G., see Castelli, F. (70) 43

Rajan, Z., see Efentakis, M. (70) 153
Ramachandran, C., see Ma, L. (70) 209
Raudino, A., see Castelli, F. (70) 43
Rudnic, E.M., see Chang, R.-K. (70) 261

Sadana, G.S. and Ghogare, A.B.
Mechanistic studies on photolytic degradation of nifedipine by use of ^{1}H-NMR and ^{13}C-NMR spectroscopy (70) 195
Schückler, F. and Lee, G.
The influence of Azone on monomolecular films of some stratum corneum lipids (70) 173
Sewell, G.J., Palmer, A.J. and Tidy, P.J.
Characterisation of a frozen storage-microwave thawing system for intravenous infusions (70) 119
Shaco-Ezra, N., see Touitou, E. (70) 159
Shahjahan, M. and Enever, R.P.
Solubilities of nitrofurazone and ultraviolet light absorbers in polyethylene glycols and nonionic surfactants (70) 9
Solé, N., see Alsina, M.A. (70) 111

Tønnesen, H.H. and Moore, D.E.
Photochemical stability of biologically active compounds. III. Mefloquine as a photosensitizer (70) 95
Thomas, N.W., see Chandler, S.G. (70) 19
Tidy, P.J., see Sewell, G.J. (70) 119
Timmins, P., see Hussain, M.S.H. (70) 103
Touitou, E., Levi-Schaffer, F., Shaco-Ezra, N., Ben-Yossef, R. and Fabin, B.
Enhanced permeation of theophylline through the skin and its effect on fibroblast proliferation (70) 159
Trendovska, G., see Panzova, B. (70) 187
Tukker, J.J., see Lehr, C.-M. (70) 235

Walker, M., Chambers, L.A., Hollingsbee, D.A. and Hadgraft, J.
Significance of vehicle thickness to skin penetration of Halcinonide (70) 167
Weiner, N.D., see Ma, L. (70) 209
Williams, D.R., see Hall, S.B. (70) 251

Yamashita, C., Matsuo, H., Akiyama, K. and Kiwada, H.
Enhancing effect of cetylmannoside on targeting of liposomes to Kupffer cells in rats (70) 225
York, P., see Hussain, M.S.H. (70) 103

Zhou, X.H. and Li Wan Po, A.
Comparison of enzyme activities of tissues lining portals of absorption of drugs: Species differences (70) 271